



2023 CATALOGUE



AURUM
www.aurum.com.tw



LED Security Light



Smart Guard



Smart Home Camera



LED Security Light



Motion Detector



Solar Security Light





AEC-9311BD

- Detection Range : 160° x 12 m
- Time On Adjustable : 5 sec - 7 min
- Sensitivity Control : Sun ↔ Moon
- Wattage : 20 W
- Luminous Flux : 1200 Lm
- Manual Control : ✕



Smart Guard

AEC-931BSD

- Detection Range : 160° x 12 m
- Time On Adjustable : 5 sec - 7 min
- Sensitivity Control : Sun ↔ Moon
- Wattage : 20 W
- Luminous Flux : 1200 Lm
- Manual Control : ✕



★ Record 1080 HD Video to Memory Card directly without any monthly fees.



Elite

CONNECTED • SECURITY

One App for entire family of products.



Let you see, hear, and speak to visitors from your smart phone.



1080 HD Video.



WiFi-connectivity quick and easy setup with your router.



Local storage : Memory card



No bridge or hub required.



Cloud storage : Additional monthly fee



Motion-activated.

AEC-3804S-WY

- Detection Range : 160° x 12 m
- Time On Adjustable : APP
- Dusk Control : APP
- Sensitivity Control : APP
- Manual Control : APP



Smart Home Camera

AEC-3804UB2-WY

- Detection Range : 160° x 12 m
- Wattage : 34 W
- Luminous Flux : 2500 Lm



AEC-3804QA2-WY

- Detection Range : 160° x 12 m
- Wattage : 34 W
- Luminous Flux : 2200 Lm



AEC-3804WB1-WY

- Detection Range : 160° x 12 m
- Wattage : 19 W
- Luminous Flux : 1200 Lm



LED Security Light

AEC-5341WB1



AEC-5341UB2



AEC-5343

Single Head

Twin Head

Triple Head

	AEC-5341WB1	AEC-5341UB2	AEC-5343
Model No	AEC-5341WB1	AEC-5341UB2	AEC-5343
Detection Range	180° x 21 m	180° 240° x 21 m	240° x 21 m
Dimming	High - Low 180° Sensor — Unavailable 240° Sensor — Available		
Time On Adjustable	1 min 3 min 7 min		
Dusk Control	<input type="checkbox"/>		
Sensitivity Control	<input type="checkbox"/>		
Wattage	17.5 W	35 W	35 W
Luminous Flux	1200 Lm	2500 Lm	2500 Lm
Manual Control	<input type="checkbox"/>		



Motion Detector

AEC-3804S-WY



AEC-3004



AEC-3005B




AEC-3020SK



Model No	AEC-3804S-WY	AEC-3004	AEC-3005B	AEC-3020SK
Detection Range	160° x 12 m	360° x 12 m	180° x 10 m	140° x 10 m
Time On Adjustable	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Dusk Control	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sensitivity Control	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Switching	LED bulb: 48 W Fluorescent bulb : 480 W Incandecent Bulb: 960 W	LED bulb: 55 W Fluorescent bulb : 500 W Incandecent Bulb: 1100 W	LED bulb: 55 W Fluorescent bulb : 500 W Incandecent Bulb: 1100 W	LED bulb: 100 W Fluorescent bulb : 1000 W Incandecent Bulb: 2000 W
Manual Control	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other	WiFi camera Two way audio communication		×	

★ AEC-3804S-WY is a Premium Motion Detector, all settings can be easily controlled by APP




Solar Security Light



AEC-5341WB1-SR

- Detection Range : **180° x 12 m**
- Time On Adjustable :
TEST - 30 sec - 60 sec - 120 sec
- Sensitivity Control : **H-M-L**
- Luminous Flux : **800 Lm**
- Manual Control :



AEC-5341AB2-SR



- Detection Range : 180° x 12 m
- Time On Adjustable :
TEST - 30 sec - 60 sec - 120 sec
- Sensitivity Control : H-M-L
- Luminous Flux : 1400 Lm
- Manual Control : ○



Solar Security Light

AEC-5340AB3-SR

- Detection Range : 180° x 12 m
- Time On Adjustable :
TEST - 30 sec - 60 sec - 120 sec
- Sensitivity Control : H-M-L
- Luminous Flux : 2000 Lm
- Manual Control : ○





✉ aurum@aurum.com.tw

☎ 886-6-2720116

🖨 886-6-2711890

📍 NO.79,Lane 121,Sec. 2,Fuciang Rd.,
Yongkong Dist.,Tainan City 710,Taiwan.

www.aurum.com.tw